

扁孔黄铜镀镍电缆防水接头

•**产品材料:** 黄铜镀镍, 密封件 EPDM, 夹紧爪尼龙

•**防护等级:** IP68 (适用于扁电缆及伴热带)

•**工作温度:** 常规-40° ~ 105°, 短时可达 120°

•**阻燃等级:** UL94V-2, 可定制 V0 级阻燃

•**订购说明:**

- 1) 默认五件套: 垫片,主体,夹紧爪,密封圈,螺帽;
- 2) 特殊说明, 发货不附螺母, 如需另外购买;
- 3) 产品价格为 (人民币: 元/套, 美元: USD/set)



Flat hole Brass nickel plated cable gland

•**Product material:** nickel plated brass, EPDM, nylon clamping claw

•**Protection grade:** IP68

•**Working temperature:** normal - 40 °~105 °, short-term up to 120 °

•**Flame retardant grade:** UL94V-2, customized V0 flame retardant

•**Ordering Instructions:**

- 1) Default five piece set: shim, main body, clamping claw, sealing ring, nut;
- 2) Special instructions, nuts are not attached to the shipment, if necessary, purchase separately;
- 3) The product price is (RMB: yuan/set, USD: USD/set)

•**产品应用/Product application**



扁孔电缆接头尺寸/ Flat hole cable gland Size

蓝江产品型号	螺纹规格	电缆范围	螺纹长度	扳手尺寸
Product model	Thread	Cable range	Thread length	Wrench Size
PN.	M/PG/G/NPT	φ mm	GL mm	cap mm
MG18A-0410	M18×1.5	4×10	9.5	26/26
MG18A-0814	M18×1.5	8×14	9.5	26/26
MG20AS-0508	M20×1.5	5×8	10	24/24
MG20AS-0712	M20×1.5	7×12	10	24/24
MG20A-0410	M20×1.5	4×10	10	26/26
MG20A-0814	M20×1.5	8×14	10	26/26
MG25A-0614	M25×1.5	6×14	12	32/32
MG32A-0519	M32×1.5	5×19	12.5	40/40
MG40A-1230	M40×1.5	12×30	15	50/50
MG40A-1232	M40×1.5	12×32	15	50/50
MG50A-1334	M50×1.5	13×34	15	59/59
MG63A-1641	M63×1.5	16×41	15	68/68
PG13.5A-0508	PG13.5	5×8	9.5	24/24
PG13.5A-0712	PG13.5	7×12	9.5	24/24
PG16A-0410	PG16	4×10	10	26/26
PG16A-0814	PG16	8×14	10	26/26
PG21A-0614	PG21	6×14	12	32/32
PG29A-0519	PG29	5×19	12.5	40/40
PG36A-1230	PG36	12×30	15	50/50
PG36A-1232	PG36	12×32	15	50/50
PG42A-1334	PG42	13×34	15	59/59
PG48A-1641	PG48	16×41	15	68/68
G1/2A-0508	G1/2	5×8	9.5	24/24
G1/2A-0712	G1/2	7×12	9.5	24/24
G1/2A-0410	G1/2	4×10	10	26/26
G1/2A-0814	G1/2	8×14	10	26/26

蓝江产品型号	螺纹规格	电缆范围	螺纹长度	扳手尺寸
Product model	Thread	Cable range	Thread length	Wrench Size
PN.	M/PG/G/NPT	φ mm	GL mm	cap mm
G3/4A-0614	G3/4	6×14	12	32/32
G1A-0519	G1	5×19	12.5	40/40
G1-1/4A-1230	G1-1/4	12×30	15	50/50
G1-1/4A-1232	G1-1/4	12×32	15	50/50
G1-1/2A-1334	G1-1/2	13×34	15	59/59
G2A-1641	G2	16×41	15	68/68
NPT1/2A-0508	NPT1/2	5×8	9.5	24/24
NPT1/2A-0712	NPT1/2	7×12	9.5	24/24
NPT1/2A-0410	NPT1/2	4×10	10	26/26
NPT1/2A-0814	NPT1/2	8×14	10	26/26
NPT3/4A-0614	NPT3/4	6×14	12	32/32
NPT1A-0519	NPT1	5×19	12.5	40/40
NPT1-1/4A-1230	NPT1-1/4	12×30	15	50/50
NPT1-1/4A-1232	NPT1-1/4	12×32	15	50/50
NPT1-1/2A-1334	NPT1-1/2	13×34	15	59/59
NPT2A-1641	NPT2	16×41	15	68/68