

RGK 带锁紧尼龙波纹管接头

•产品材料：尼龙

•防护等级：IP65/IP68

•工作温度：-40°~105°，短时可达120°

•阻燃等级：UL94V-2 阻燃

•订购说明：

- 1) 标配螺母，无需请联系客服说明
- 2) IP65 应对波纹管，IP68 应对电缆锁紧
- 3) 产品价格为（人民币：元/套，美元：USD/set）



RGK cable gland with locking nylon conduit

•Product material: nylon

•Protection grade: IP65/IP68



•Working temperature: - 40 °~105 °, up to 120 ° in a short time

•Flame retardant grade: UL94V-2 flame retardant

•Ordering Instructions:

- 1) Standard nut, no need to contact customer service for instructions
- 2) IP65 shall be applied to corrugated pipe and IP68 shall be applied to cable locking
- 3) The product price is (RMB: yuan/set, USD: USD/set)

产品结构图/Product Structure Diagram



产品尺寸表/Product size

蓝江产品型号	螺纹规格	电缆范围	适配软管	螺纹长度	扳手尺寸
Product model	Thread size	Cable range	Adapter hose	Thread L	Wrench Size
PN.	Metric	φ mm	AD mm	GL mm	nut/cap mm
RGK13-MG12-08	M12×1.5	4~8	AD13	8.5	18/19
RGK13-MG12-05	M12×1.5	3~5	AD13	8.5	18/19
RGK13-MG12L-08	M12×1.5	4~8	AD13	15	18/19
RGK13-MG12L-05	M12×1.5	3~5	AD13	15	18/19
RGK10-MG12S-07	M12×1.5	3~6.5	AD10	8.5	18/15
RGK10-MG12SL-07	M12×1.5	3~6.5	AD10	15	18/15
RGK13-MG16S-08	M16×1.5	4~8	AD13	10	22/19
RGK13-MG16S-05	M16×1.5	3~5	AD13	10	22/19
RGK13-MG16SL-08	M16×1.5	4~8	AD13	15	22/19
RGK15.8-MG16-10	M16×1.5	6~10	AD15.8	10	22/22
RGK15.8-MG16-07	M16×1.5	4~7	AD15.8	10	22/22
RGK15.8-MG16L-10	M16×1.5	6~10	AD15.8	15	22/22
RGK15.8-MG16L-07	M16×1.5	4~7	AD15.8	15	22/22
RGK15.8-MG18-10	M18×1.5	6~10	AD15.8	10	24/22
RGK15.8-MG18-07	M18×1.5	4~7	AD15.8	10	24/22
RGK15.8-MG18L-10	M18×1.5	6~10	AD15.8	15	24/22
RGK15.8-MG18L-07	M18×1.5	4~7	AD15.8	15	24/22
RGK15.8-MG20M-10	M20×1.5	6~10	AD15.8	10	27/22
RGK15.8-MG20M-07	M20×1.5	4~7	AD15.8	10	27/22
RGK18.5-MG20S-12	M20×1.5	6~12	AD18.5	10	27/24
RGK18.5-MG20S-09	M20×1.5	5~9	AD18.5	10	27/24
RGK18.5-MG20SL-12	M20×1.5	6~12	AD18.5	15	27/24
RGK18.5-MG20SL-09	M20×1.5	5~9	AD18.5	15	27/24
RGK21.2-MG20-14	M20×1.5	8~14	AD21.2	10	27/27
RGK21.2-MG20-11	M20×1.5	6~11	AD21.2	10	27/27
RGK21.2-MG20-07	M20×1.5	4~7	AD21.2	10	27/27
RGK21.2-MG20L-14	M20×1.5	8~14	AD21.2	15	27/27
RGK21.2-MG20L-11	M20×1.5	6~11	AD21.2	15	27/27
RGK21.2-MG20L-07	M20×1.5	4~7	AD21.2	15	27/27
RGK21.2-MG22-14	M22×1.5	8~14	AD21.2	10	29/27

RGK21.2-MG22-11	M22×1.5	6~11	AD21.2	10	29/27
RGK21.2-MG25S-14	M25×1.5	8~14	AD21.2	12	33/27
RGK21.2-MG25S-10	M25×1.5	6~10	AD21.2	12	33/27
RGK25-MG25-18	M25×1.5	13~18	AD25	12	33/33
RGK25-MG25-13	M25×1.5	7~13	AD25	12	33/33
RGK25-MG25-08	M25×1.5	4~8	AD25	12	33/33
RGK25-MG25L-18	M25×1.5	13~18	AD25	15	33/33
RGK25-MG25L-13	M25×1.5	7~13	AD25	15	33/33
RGK25-MG25L-08	M25×1.5	4~8	AD25	15	33/33
RGK28.5-MG25-18	M25×1.5	13~18	AD28.5	12	33/33
RGK28.5-MG25-13	M25×1.5	7~13	AD28.5	12	33/33
RGK28.5-MG25-08	M25×1.5	4~8	AD28.5	12	33/33
RGK28.5-MG25L-18	M25×1.5	13~18	AD28.5	15	33/33
RGK28.5-MG25L-13	M25×1.5	7~13	AD28.5	15	33/33
RGK28.5-MG25L-08	M25×1.5	4~8	AD28.5	15	33/33
RGK25-MG32S-18	M32×1.5	13~18	AD25	15	41/33
RGK25-MG32S-13	M32×1.5	7~13	AD25	15	41/33
RGK25-MG32S-08	M32×1.5	4~8	AD25	15	41/33
RGK28.5-MG32S-18	M32×1.5	13~18	AD28.5	15	41/33
RGK28.5-MG32S-13	M32×1.5	7~13	AD28.5	15	41/33
RGK28.5-MG32S-08	M32×1.5	4~8	AD28.5	15	41/33
RGK34.5-MG32-25	M32×1.5	18~25	AD34.5	15	41/41
RGK34.5-MG32-22	M32×1.5	16~22	AD34.5	15	41/41
RGK34.5-MG32-18	M32×1.5	13~18	AD34.5	15	41/41
RGK34.5-MG32-12	M32×1.5	8~12	AD34.5	15	41/41
RGK34.5-MG36-25	M36×1.5	18~25	AD34.5	12	45/41
RGK34.5-MG36-22	M36×1.5	16~22	AD34.5	12	45/41
RGK34.5-MG40S-25	M40×1.5	18~25	AD34.5	20	50/41
RGK34.5-MG40S-22	M40×1.5	16~22	AD34.5	20	50/41
RGK34.5-MG40S-18	M40×1.5	13~18	AD34.5	20	50/41
RGK34.5-MG40S-12	M40×1.5	8~12	AD34.5	20	50/41
RGK42.5-MG40-32	M40×1.5	24~32	AD42.5	20	50/50
RGK42.5-MG40-25	M40×1.5	18~25	AD42.5	20	50/50
RGK54.5-MG50-41	M50×1.5	31~41	AD54.5	22	62/62

蓝江产品型号	螺纹规格	电缆范围	适配软管	螺纹长度	扳手尺寸
Product model	Thread size	Cable range	Adapter hose	Thread L	Wrench Size
PN.	PG	φ mm	AD mm	GL mm	nut/cap mm
RGK13-PG7-08	PG7	4~8	AD13	8.5	17/19
RGK13-PG7-05	PG7	3~5	AD13	8.5	17/19
RGK13-PG7L-08	PG7	4~8	AD13	15	17/19
RGK13-PG7L-05	PG7	3~5	AD13	15	17/19
RGK10-PG7S-07	PG7	3~6.5	AD10	8.5	17/15
RGK10-PG7SL-07	PG7	3~6.5	AD10	15	17/15
RGK13-PG9-08	PG9	4~8	AD13	8.5	22/19
RGK13-PG9-05	PG9	3~5	AD13	8.5	22/19
RGK13-PG9L-08	PG9	4~8	AD13	15	22/19
RGK13-PG9L-05	PG9	3~5	AD13	15	22/19
RGK15.8-PG11-10	PG11	6~10	AD15.8	10	22/22
RGK15.8-PG11-07	PG11	4~7	AD15.8	10	22/22
RGK15.8-PG11L-10	PG11	6~10	AD15.8	15	22/22
RGK15.8-PG11L-07	PG11	4~7	AD15.8	15	22/22
RGK18.5-PG13.5-12	PG13.5	6~12	AD18.5	10	27/24
RGK18.5-PG13.5-09	PG13.5	5~9	AD18.5	10	27/24
RGK18.5-PG13.5L-12	PG13.5	6~12	AD18.5	15	27/24
RGK18.5-PG13.5L-09	PG13.5	5~9	AD18.5	15	27/24
RGK21.2-PG16-14	PG16	8~14	AD21.2	11	30/27
RGK21.2-PG16L-14	PG16	8~14	AD21.2	15	30/27
RGK25-PG21-18	PG21	13~18	AD25	12	36/33
RGK25-PG21-13	PG21	8~13	AD25	12	36/33
RGK25-PG21-08	PG21	4~8	AD25	12	36/33
RGK25-PG21L-18	PG21	13~18	AD25	15	36/33
RGK25-PG21L-13	PG21	8~13	AD25	15	36/33
RGK25-PG21L-08	PG21	4~8	AD25	15	36/33
RGK28.5-PG21-18	PG21	13~18	AD28.5	12	36/33
RGK28.5-PG21-13	PG21	8~13	AD28.5	12	36/33
RGK28.5-PG21-08	PG21	4~8	AD28.5	12	36/33
RGK28.5-PG21L-18	PG21	13~18	AD28.5	15	36/33
RGK28.5-PG21L-13	PG21	8~13	AD28.5	15	36/33

RGK34.5-PG29-25	PG29	18~25	AD34.5	12	46/41
RGK34.5-PG29-22	PG29	16~22	AD34.5	12	46/41
RGK34.5-PG29-18	PG29	13~18	AD34.5	12	46/41
RGK34.5-PG29-12	PG29	7~12	AD34.5	12	46/41
RGK42.5-PG36-32	PG36	24~32	AD42.5	15	57/50
RGK42.5-PG36-25	PG36	18~25	AD42.5	15	57/50

蓝江产品型号	螺纹规格	电缆范围	适配软管	螺纹长度	扳手尺寸
Product model	Thread size	Cable range	Adapter hose	Thread L	Wrench Size
PN.	G(PF)	φ mm	AD mm	GL mm	nut/cap mm
RGK13-G1/4-08	G1/4	4~8	AD13	8.5	19/19
RGK13-G1/4-05	G1/4	3~5	AD13	8.5	19/19
RGK15.8-G3/8-10	G3/8	6~10	AD15.8	10	22/22
RGK15.8-G3/8-07	G3/8	4~7	AD15.8	10	22/22
RGK18.5-G1/2-12	G1/2	6~12	AD18.5	10	27/24
RGK18.5-G1/2-09	G1/2	5~9	AD18.5	10	27/24
RGK21.2-G1/2-14	G1/2	8~14	AD21.2	15	30/27
RGK21.2-G1/2-12	G1/2	6~12	AD21.2	15	30/27
RGK25-G3/4-18	G3/4	13~18	AD25	12	33/33
RGK25-G3/4-13	G3/4	7~13	AD25	12	33/33
RGK25-G3/4-08	G3/4	4~8	AD25	12	33/33
RGK28.5-G3/4-18	G3/4	13~18	AD28.5	12	33/33
RGK28.5-G3/4-13	G3/4	7~13	AD28.5	12	33/33
RGK28.5-G3/4-08	G3/4	4~8	AD28.5	12	33/33
RGK34.5-G1-25	G1	18~25	AD34.5	13.5	42/41
RGK34.5-G1-22	G1	16~22	AD34.5	13.5	42/41
RGK34.5-G1-18	G1	13~18	AD34.5	13.5	42/41
RGK34.5-G1-12	G1	7~12	AD34.5	13.5	42/41
RGK42.5-G1-1/4-32	G1-1/4	24~32	AD42.5	15	51/50
RGK42.5-G1-1/4-25	G1-1/4	18~25	AD42.5	15	51/50
RGK15.8-NPT3/8-10	NPT3/8	6~10	AD15.8	10	22
RGK15.8-NPT3/8-07	NPT3/8	4~7	AD15.8	10	22
RGK18.5-NPT1/2-12	NPT1/2	6~12	AD18.5	10	27
RGK18.5-NPT1/2-09	NPT1/2	5~9	AD18.5	10	27

RGK25-NPT3/4-18	NPT3/4	13 ~ 18	AD25	15	33
RGK25-NPT3/4-13	NPT3/4	7 ~ 13	AD25	15	33
RGK25-NPT3/4-08	NPT3/4	4 ~ 8	AD25	15	33
RGK28.5-NPT3/4-18	NPT3/4	13 ~ 18	AD28.5	15	33
RGK28.5-NPT3/4-13	NPT3/4	7 ~ 13	AD28.5	15	33
RGK28.5-NPT3/4-08	NPT3/4	4 ~ 8	AD28.5	15	33
RGK34.5-NPT1-25	NPT1	18 ~ 25	AD34.5	17	41
RGK34.5-NPT1-22	NPT1	16 ~ 22	AD34.5	17	41
RGK34.5-NPT1-18	NPT1	13 ~ 18	AD34.5	17	41
RGK34.5-NPT1-12	NPT1	7 ~ 12	AD34.5	17	41
RGK42.5-NPT1-1/4-32	NPT1-1/4	24 ~ 32	AD42.5	17	50
RGK42.5-NPT1-1/4-25	NPT1-1/4	18 ~ 25	AD42.5	17	50