

## RGQ 不锈钢带锁紧防水波纹管接头

- 产品材料:** 不锈钢
- 防护等级:** IP68
- 工作温度:** -40° ~ 105°, 短时可达 120°
- 阻燃等级:** UL94V-2 阻燃

•**订购说明:**

- 1) 默认不配螺母, 如需请另外购买;
- 2) 产品价格为 (人民币: 元/套, 美元: USD/set)



## RGQ waterproof corrugated pipe connector with locking

- Product material:** nickel plated brass
- Protection grade:** IP68
- Working temperature:** - 40 °~105 °, up to 120 ° in a short time
- Flame retardant grade:** UL94V-2 flame retardant

•**Ordering instructions:**

- 1) No nut is provided by default, please purchase separately if necessary;
- 2) The product price is (RMB: yuan/set, USD: USD/set)

### 产品结构图/product mix



产品尺寸表/Product size

蓝江产品型号	螺纹规格	适配软管	电缆范围	螺纹长度
Product RGQ-Model	Thread size	Adaptor hose	Cable range	Thread length
PN.	Metric	φ mm	φ mm	GL mm
RGQ-M12-05-AD10.0-SS	M12×1.5	AD10.0	3~5.5	9
RGQ-M12-08-AD13.0-SS	M12×1.5	AD13.0	4~8	9
RGQ-M16-08-AD13.0-SS	M16×1.5	AD13.0	4~8	9.5
RGQ-M16-10-AD15.8-SS	M16×1.5	AD15.8	6~10	9.5
RGQ-M18-10-AD15.8-SS	M18×1.5	AD15.8	6~10	9.5
RGQ-M20-08-AD13.0-SS	M20×1.5	AD13.0	4~8	12
RGQ-M20-10-AD15.8-SS	M20×1.5	AD15.8	5~9	12
RGQ-M20-12-AD18.5-SS	M20×1.5	AD18.5	7~12	12
RGQ-M20-14-AD21.2-SS	M20×1.5	AD21.2	8~14	12
RGQ-M22-12-AD18.5-SS	M22×1.5	AD18.5	8~12	12
RGQ-M22-14-AD21.2-SS	M22×1.5	AD21.2	8~14	12
RGQ-M24-12-AD18.5-SS	M24×1.5	AD18.5	8~12	10.5
RGQ-M24-14-AD21.2-SS	M24×1.5	AD21.2	8~14	10.5
RGQ-M25-16-AD21.2-SS	M25×1.5	AD21.2	12~16	12
RGQ-M25-18-AD25.0-SS	M25×1.5	AD25.0	13~18	12
RGQ-M25-18-AD28.5-SS	M25×1.5	AD28.5	13~18	12
RGQ-M27-18-AD28.5-SS	M27×1.5	AD28.5	13~18	12
RGQ-M30-18-AD28.5-SS	M30×2.0	AD28.5	13~18	12.5
RGQ-M32-18-AD28.5-SS	M32×1.5	AD28.5	13~18	12
RGQ-M32-22-AD28.5-SS	M32×1.5	AD28.5	17~22	12.5
RGQ-M32-25-AD34.5-SS	M32×1.5	AD34.5	18~25	12.5
RGQ-M33-25-AD34.5-SS	M33×2.0	AD34.5	18~25	14.5
RGQ-M36-25-AD34.5-SS	M36×2.0	AD34.5	18~25	13
RGQ-M40-25-AD34.5-SS	M40×1.5	AD34.5	18~25	14
RGQ-M40-31-AD42.5-SS	M40×1.5	AD42.5	25~31	14
RGQ-M42-31-AD42.5-SS	M42×2.0	AD42.5	25~31	15
RGQ-M48-31-AD42.5-SS	M48×2.0	AD42.5	25~31	15
RGQ-M50-33-AD42.5-SS	M50×1.5	AD42.5	25~33	15
RGQ-M50-41-AD54.5-SS	M50×1.5	AD54.5	33~41	15
RGQ-M60-44-AD54.5-SS	M60×2.0	AD54.5	36~44	15
RGQ-M63-44-AD54.5-SS	M63×1.5	AD54.5	36~44	15
RGQ-M63-54-AD54.5-SS	M63×1.5	AD54.5	46~54	15
RGQ-M64-44-AD54.5-SS	M64×2.0	AD54.5	36~44	15

蓝江产品型号	螺纹规格	适配软管	电缆范围	螺纹长度
Product RGQ-Model	Thread size	Adaptor hose	Cable range	Thread length
PN.	G&NPT	φ mm	φ mm	GL mm
RGQ-G1/4-05-AD10.0-SS	G1/4	AD10.0	3~5.5	9
RGQ-G1/4-08-AD13.0-SS	G1/4	AD13.0	4~8	9
RGQ-G3/8-10-AD15.8-SS	G3/8	AD15.8	6~10	9.5
RGQ-G1/2-10-AD15.8-SS	G1/2	AD15.8	5~9	12
RGQ-G1/2-12-AD18.5-SS	G1/2	AD18.5	7~12	12
RGQ-G1/2-14-AD21.2-SS	G1/2	AD21.2	8~14	12
RGQ-G3/4-18-AD28.5-SS	G3/4	AD28.5	13~18	12
RGQ-G1-25-AD34.5-SS	G1	AD34.5	18~25	15
RGQ-G1-1/4-25-AD34.5-SS	G1-1/4	AD34.5	18~25	15
RGQ-G1-1/4-31-AD42.5-SS	G1-1/4	AD42.5	25~31	15
RGQ-G1-1/2-31-AD42.5-SS	G1-1/2	AD42.5	25~31	15
RGQ-G1-1/2-41-AD54.5-SS	G1-1/2	AD54.5	33~41	15
RGQ-G2-44-AD54.5-SS	G2	AD54.5	36~44	15
RGQ-NPT1/4-05-AD10.0-SS	NPT1/4	AD10.0	3~5.5	9
RGQ-NPT1/4-08-AD13.0-SS	NPT1/4	AD13.0	4~8	9
RGQ-NPT3/8-10-AD15.8-SS	NPT3/8	AD15.8	6~10	9.5
RGQ-NPT1/2-10-AD15.8-SS	NPT1/2	AD15.8	5~9	12
RGQ-NPT1/2-12-AD18.5-SS	NPT1/2	AD18.5	7~12	12
RGQ-NPT1/2-14-AD21.2-SS	NPT1/2	AD21.2	8~14	12
RGQ-NPT3/4-18-AD28.5-SS	NPT3/4	AD28.5	13~18	12
RGQ-NPT1-25-AD34.5-SS	NPT1	AD34.5	18~25	15
RGQ-NPT1-1/4-25-AD34.5-SS	NPT1-1/4	AD34.5	18~25	15
RGQ-NPT1-1/4-31-AD42.5-SS	NPT1-1/4	AD42.5	25~31	15
RGQ-NPT1-1/2-31-AD42.5-SS	NPT1-1/2	AD42.5	25~31	15
RGQ-NPT1-1/2-41-AD54.5-SS	NPT1-1/2	AD54.5	33~41	15
RGQ-NPT2-44-AD54.5-SS	NPT2	AD54.5	36~44	15